

**Receipt of dental visit during pregnancy among California women with a recent live birth by county and region, Maternal and Infant Health Assessment (MIHA) Survey, 2015-2016**

	Dental visit during pregnancy				Annual Population Estimate	Compared to rest of California
	Prevalence (%)	95% Confidence Interval				
<b>California</b>	43.0	41.6	-	44.4	206,500	
<b>Top 35 Birthing Counties</b>						
Los Angeles County	37.4	33.9	-	40.9	45,300	Lower than rest of California
San Diego County	56.6	51.0	-	62.1	23,900	Higher than rest of California
Orange County	50.0	43.4	-	56.7	18,600	Higher than rest of California
San Bernardino County	33.2	27.6	-	38.8	10,100	Lower than rest of California
Riverside County	34.7	29.4	-	40.0	10,400	Lower than rest of California
Santa Clara County	54.3	47.9	-	60.7	12,300	Higher than rest of California
Alameda County	46.9	41.0	-	52.7	9,000	No statistical difference
Sacramento County	37.1	31.8	-	42.5	7,100	Lower than rest of California
Fresno County	34.0	28.4	-	39.6	5,100	Lower than rest of California
Kern County	26.4	20.8	-	32.0	3,600	Lower than rest of California
Contra Costa County	49.2	43.4	-	55.0	6,000	Higher than rest of California
Ventura County	42.9	37.0	-	48.8	4,100	No statistical difference
San Joaquin County	29.1	23.7	-	34.5	2,900	Lower than rest of California
San Francisco County	69.8	64.6	-	75.0	6,200	Higher than rest of California
San Mateo County	59.4	53.4	-	65.4	5,200	Higher than rest of California
Tulare County	37.2	31.3	-	43.1	2,600	No statistical difference
Stanislaus County	41.1	35.3	-	47.0	3,100	No statistical difference
Monterey County	49.8	44.3	-	55.3	3,100	Higher than rest of California
Santa Barbara County	42.4	37.1	-	47.7	2,300	No statistical difference
Sonoma County	66.3	60.5	-	72.0	3,200	Higher than rest of California
Solano County	47.5	41.7	-	53.3	2,400	No statistical difference
Merced County	27.8	21.1	-	34.6	1,100	Lower than rest of California
Placer County	48.3	39.8	-	56.8	1,700	No statistical difference
Santa Cruz County	53.6	47.0	-	60.2	1,500	Higher than rest of California
Imperial County	31.9	23.1	-	40.6	1,000	Lower than rest of California
San Luis Obispo County	60.3	52.6	-	68.0	1,500	Higher than rest of California
Marin County	72.3	66.5	-	78.2	1,600	Higher than rest of California
Butte County	46.8	39.0	-	54.5	1,100	No statistical difference
Yolo County	53.3	45.4	-	61.2	1,300	Higher than rest of California
Madera County	38.5	30.9	-	46.1	900	No statistical difference
Kings County	38.9	31.4	-	46.3	800	No statistical difference
Shasta County	40.9	32.5	-	49.2	800	No statistical difference
El Dorado County	55.0	46.9	-	63.0	900	Higher than rest of California
Napa County	54.3	47.6	-	61.0	800	Higher than rest of California
Humboldt County	48.4	40.2	-	56.7	700	No statistical difference
<b>MIHA Region</b>						
Los Angeles County	37.4	33.9	-	40.9	45,300	Lower than rest of California
San Francisco Bay Area	54.8	52.3	-	57.3	46,800	Higher than rest of California
San Diego County	56.6	51.0	-	62.1	23,900	Higher than rest of California
Orange County	50.0	43.4	-	56.7	18,600	Higher than rest of California
San Joaquin Valley	32.7	30.4	-	35.1	20,200	Lower than rest of California
Greater Sacramento Region	39.8	36.0	-	43.7	11,600	No statistical difference
Southeastern California	33.8	30.1	-	37.5	21,400	Lower than rest of California
Central Coast Region	47.0	44.1	-	49.9	12,800	Higher than rest of California
North/Mountain Region	45.1	40.5	-	49.8	5,800	No statistical difference

2015-2016 MIHA Question: "During your most recent pregnancy, did you visit a dentist, dental clinic, or get dental care at any other health clinic?"  
Women could report Yes or No.

Data source: MIHA is an annual population-based survey of California resident women with a live birth. Data from MIHA 2015-2016 were combined, resulting in a statewide sample size of 13,431. Prevalence (%), 95% confidence interval (95% CI), and an estimated number of women in the population with the health indicator/characteristic (i.e., numerator of the percent rounded to the nearest hundred) are weighted to represent all women with a live birth who resided in California and the county/region in 2015-2016. Population estimates are a two-year average (2015-2016). County and regional comparisons indicate whether the health indicator in the county or region was statistically different from the rest of the state (p-value < 0.05, chi-square test). MIHA is a collaborative effort of the Maternal, Child and Adolescent Health Division and the Women, Infants and Children Division in the California Department of Public Health and the Center on Social Disparities in Health at the University of California, San Francisco. See the Technical Notes for information on weighting, comparability to prior years and technical definitions. Visit the MIHA website at [www.cdph.ca.gov/MIHA](http://www.cdph.ca.gov/MIHA).

Receipt of dental visit during pregnancy among California women with a recent live birth, for counties and regions by maternal age, Maternal and Infant Health Assessment (MIHA) Survey, 2015-2016

	Total			Maternal Age								
	Prevalence (%)	95% Confidence Interval	Annual Population Estimate	Prevalence (%)	95% Confidence Interval	Annual Population Estimate	Prevalence (%)	95% Confidence Interval	Annual Population Estimate	Prevalence (%)	95% Confidence Interval	Annual Population Estimate
<b>California</b>	43.0	(41.6-44.4)	206,500	34.0	(27.6-40.4)	7,400	41.5	(39.9-43.1)	147,900	50.1	(47.0-53.3)	51,100
<b>Top 35 Birthing Counties</b>												
Los Angeles	37.4	(33.9-40.9)	45,300	33.5	(14.7-52.2)	1,900	35.9	(31.8-40.0)	31,200	42.9	(36.0-49.9)	12,200
San Diego	56.6	(51.0-62.1)	23,900	31.0*	( 9.9-52.1)	400	57.2	(50.8-63.6)	18,300	58.5	(46.0-71.0)	5,200
Orange	50.0	(43.4-56.7)	18,600	49.3	(24.3-74.4)	600	47.1	(39.4-54.8)	12,500	58.4	(44.5-72.4)	5,500
San Bernardino	33.2	(27.6-38.8)	10,100	26.6*	( 7.0-46.1)	500	34.5	(28.1-41.0)	8,200	28.9	(15.0-42.7)	1,300
Riverside	34.7	(29.4-40.0)	10,400	37.3*	(15.2-59.4)	600	35.7	(29.8-41.5)	8,400	28.9	(15.1-42.6)	1,300
Santa Clara	54.3	(47.9-60.7)	12,300	-			51.0	(43.5-58.5)	8,100	67.2	(55.0-79.3)	4,200
Alameda	46.9	(41.0-52.7)	9,000	-			43.9	(37.0-50.9)	5,900	56.6	(45.5-67.6)	3,000
Sacramento	37.1	(31.8-42.5)	7,100	39.6*	( 8.2-71.1)	300	36.0	(30.0-42.0)	5,400	41.3	(29.0-53.6)	1,400
Fresno	34.0	(28.4-39.6)	5,100	37.6*	(13.8-61.4)	400	32.4	(26.2-38.6)	3,800	40.9	(25.1-56.7)	900
Kern	26.4	(20.8-32.0)	3,600	-			27.0	(20.7-33.4)	2,900	34.2	(17.9-50.5)	600
Contra Costa	49.2	(43.4-55.0)	6,000	-			47.1	(40.4-53.8)	4,100	58.9	(46.8-71.1)	1,800
Ventura	42.9	(37.0-48.8)	4,100	-			40.5	(33.8-47.1)	2,900	52.6	(38.9-66.3)	1,100
San Joaquin	29.1	(23.7-34.5)	2,900	33.1*	( 4.8-61.4)	200	25.4	(19.7-31.1)	2,000	45.9	(30.2-61.5)	700
San Francisco	69.8	(64.6-75.0)	6,200	-			70.4	(63.7-77.1)	3,700	69.4	(61.0-77.7)	2,400
San Mateo	59.4	(53.4-65.4)	5,200	-			54.9	(47.5-62.3)	3,200	66.8	(56.8-76.8)	1,900
Tulare	37.2	(31.3-43.1)	2,600	44.2	(19.7-68.6)	300	35.5	(29.1-41.8)	2,000	43.7	(26.5-61.0)	400
Stanislaus	41.1	(35.3-47.0)	3,100	45.9	(21.5-70.3)	200	40.6	(34.0-47.2)	2,500	41.9	(26.8-57.1)	500
Monterey	49.8	(44.3-55.3)	3,100	66.5	(47.6-85.3)	300	45.9	(39.7-52.1)	2,200	60.3	(46.4-74.3)	600
Santa Barbara	42.4	(37.1-47.7)	2,300	30.0*	( 9.0-51.0)	100	40.9	(34.8-47.1)	1,700	51.8	(39.3-64.4)	600
Sonoma	66.3	(60.5-72.0)	3,200	52.1	(24.9-79.3)	< 100	66.5	(60.1-72.9)	2,400	67.5	(53.9-81.1)	800
Solano	47.5	(41.7-53.3)	2,400	-			44.9	(38.5-51.3)	1,800	54.3	(40.4-68.2)	500
Merced	27.8	(21.1-34.6)	1,100	48.5	(22.6-74.4)	200	26.2	(18.8-33.6)	800	25.2*	( 8.0-42.5)	100
Placer	48.3	(39.8-56.8)	1,700	-			45.3	(35.4-55.2)	1,200	60.4	(42.1-78.8)	500
Santa Cruz	53.6	(47.0-60.2)	1,500	55.7	(32.2-79.2)	< 100	52.0	(44.0-60.0)	1,000	57.4	(43.9-70.8)	400
Imperial	31.9	(23.1-40.6)	1,000	-			30.7	(20.8-40.6)	700	36.2*	(13.5-59.0)	100
San Luis Obispo	60.3	(52.6-68.0)	1,500	42.4*	(13.4-71.4)	< 100	58.2	(49.0-67.5)	1,100	71.7	(58.4-85.1)	300
Marin	72.3	(66.5-78.2)	1,600	-			75.3	(68.4-82.2)	900	69.2	(58.9-79.5)	600
Butte	46.8	(39.0-54.5)	1,100	-			45.1	(36.7-53.5)	900	57.8	(37.0-78.6)	200
Yolo	53.3	(45.4-61.2)	1,300	-			53.5	(44.4-62.7)	900	57.5	(41.4-73.5)	300
Madera	38.5	(30.9-46.1)	900	36.5	(15.2-57.9)	< 100	40.2	(31.1-49.3)	700	30.3	(16.4-44.1)	< 100
Kings	38.9	(31.4-46.3)	800	-			40.7	(32.4-49.1)	700	40.0	(19.1-61.0)	100
Shasta	40.9	(32.5-49.2)	800	-			43.9	(34.4-53.4)	700	33.7	(16.9-50.5)	< 100
El Dorado	55.0	(46.9-63.0)	900	-			53.0	(43.9-62.1)	600	58.4	(40.1-76.8)	200
Napa	54.3	(47.6-61.0)	800	-			53.4	(45.6-61.1)	500	63.9	(49.4-78.3)	200
Humboldt	48.4	(40.2-56.7)	700	63.7*	(28.7-98.7)	< 100	45.7	(36.2-55.1)	500	55.1	(36.8-73.4)	100
<b>MIHA Region</b>												
Los Angeles County	37.4	(33.9-40.9)	45,300	33.5	(14.7-52.2)	1,900	35.9	(31.8-40.0)	31,200	42.9	(36.0-49.9)	12,200
San Francisco Bay Area	54.8	(52.3-57.3)	46,800	28.6	(17.5-39.6)	600	52.0	(49.0-55.0)	30,700	63.6	(58.9-68.3)	15,500
San Diego County	56.6	(51.0-62.1)	23,900	31.0*	( 9.9-52.1)	400	57.2	(50.8-63.6)	18,300	58.5	(46.0-71.0)	5,200
Orange County	50.0	(43.4-56.7)	18,600	49.3	(24.3-74.4)	600	47.1	(39.4-54.8)	12,500	58.4	(44.5-72.4)	5,500
San Joaquin Valley	32.7	(30.4-35.1)	20,200	31.4	(22.2-40.7)	1,400	31.7	(29.1-34.3)	15,400	39.6	(33.0-46.2)	3,300
Greater Sacramento Region	39.8	(36.0-43.7)	11,600	33.9*	(11.3-56.5)	400	38.6	(34.2-43.0)	8,800	46.4	(37.6-55.2)	2,500
Southeastern California	33.8	(30.1-37.5)	21,400	31.9	(17.6-46.2)	1,200	34.9	(30.7-39.1)	17,400	29.2	(19.8-38.6)	2,800
Central Coast Region	47.0	(44.1-49.9)	12,800	48.1	(36.7-59.6)	600	44.5	(41.2-47.8)	9,100	55.8	(48.9-62.6)	3,100
North/Mountain Region	45.1	(40.5-49.8)	5,800	33.5*	(13.2-53.8)	200	44.8	(39.5-50.0)	4,600	51.4	(39.8-63.0)	1,000

-- Estimate not shown because the relative standard error (RSE) is greater than 50%, fewer than 5 women reported, or the weighted population denominator for the column is less than 100 women.

\* Estimate should be interpreted with caution due to low statistical reliability (RSE is between 30% and 50%).

2015-2016 MIHA Question: "During your most recent pregnancy, did you visit a dentist, dental clinic, or get dental care at any other health clinic?" Women could report Yes or No.

Data source: MIHA is an annual population-based survey of California resident women with a live birth. Data from MIHA 2015-2016 were combined, resulting in a statewide sample size of 13,431. Prevalence (%), 95% confidence interval (95% CI), and estimated number of women in the population with the health indicator/characteristic (i.e., numerator of the percent rounded to the nearest hundred) are weighted to represent all women with a live birth who resided in California and the county/region in 2015-2016. Population estimates are a two-year average (2015-2016). County and regional comparisons indicate whether the health indicator in the county or region was statistically different from the rest of the state (p-value < 0.05, chi-square test). MIHA is a collaborative effort of the Maternal, Child and Adolescent Health Division and the Women, Infants and Children Division in the California Department of Public Health and the Center on Social Disparities in Health at the University of California, San Francisco. See the Technical Notes for information on weighting, comparability to prior years and technical definitions. Visit the MIHA website at [www.cdph.ca.gov/MIHA](http://www.cdph.ca.gov/MIHA).

Receipt of dental visit during pregnancy among California women with a recent live birth, for counties and regions by race/ethnicity, Maternal and Infant Health Assessment (MIHA) Survey, 2015-2016

	Total			Race/Ethnicity											
	Prevalence (%)	95% Confidence Interval	Annual Population Estimate	Asian/Pacific Islander			Black			Latina			White		
				Prevalence (%)	95% Confidence Interval	Annual Population Estimate	Prevalence (%)	95% Confidence Interval	Annual Population Estimate	Prevalence (%)	95% Confidence Interval	Annual Population Estimate	Prevalence (%)	95% Confidence Interval	Annual Population Estimate
<b>California</b>	43.0	(41.6-44.4)	206,500	47.5	(43.3-51.7)	35,400	34.0	(30.7-37.4)	8,800	36.0	(34.0-38.0)	82,500	52.4	(49.9-54.9)	71,300
<b>Top 35 Birthing Counties</b>															
Los Angeles	37.4	(33.9-40.9)	45,300	44.5	(34.7-54.3)	8,700	33.3	(26.6-40.0)	2,900	31.0	(26.4-35.5)	21,100	51.2	(42.7-59.6)	11,700
San Diego	56.6	(51.0-62.1)	23,900	49.5	(31.6-67.4)	2,300	43.0	(29.0-57.0)	900	57.9	(49.1-66.7)	9,900	59.4	(50.2-68.6)	9,000
Orange	50.0	(43.4-56.7)	18,600	51.6	(35.1-68.2)	4,600	42.4	(26.0-58.8)	200	39.8	(30.7-48.8)	6,300	62.5	(51.7-73.4)	7,000
San Bernardino	33.2	(27.6-38.8)	10,100	19.3*	( 3.8-34.8)	500	33.3	(19.7-47.0)	900	33.4	(25.8-41.0)	5,900	36.1	(24.2-48.0)	2,500
Riverside	34.7	(29.4-40.0)	10,400	49.2	(24.7-73.7)	1,100	38.9	(27.5-50.4)	600	30.6	(24.0-37.1)	5,400	36.7	(26.3-47.0)	2,900
Santa Clara	54.3	(47.9-60.7)	12,300	59.8	(48.7-70.8)	5,400	51.6	(36.1-67.0)	200	37.1	(28.2-46.0)	2,600	65.9	(52.1-79.7)	3,200
Alameda	46.9	(41.0-52.7)	9,000	50.3	(39.5-61.0)	3,300	32.7	(21.8-43.5)	600	32.3	(21.9-42.7)	1,600	61.0	(49.0-73.1)	2,700
Sacramento	37.1	(31.8-42.5)	7,100	43.3	(30.7-55.9)	1,600	27.0	(15.7-38.3)	600	26.7	(16.9-36.5)	1,300	41.7	(32.5-51.0)	3,200
Fresno	34.0	(28.4-39.6)	5,100	26.0	(12.8-39.1)	500	24.0	(14.1-34.0)	200	30.5	(23.0-38.0)	2,800	48.2	(34.5-62.0)	1,500
Kern	26.4	(20.8-32.0)	3,600	-			33.8	(19.5-48.0)	300	23.9	(16.7-31.0)	2,000	32.1	(21.0-43.1)	1,200
Contra Costa	49.2	(43.4-55.0)	6,000	37.1	(20.6-53.6)	800	40.3	(28.7-52.0)	400	38.5	(29.3-47.7)	1,600	65.8	(56.9-74.7)	2,800
Ventura	42.9	(37.0-48.8)	4,100	37.4*	( 9.5-65.4)	200	22.6*	( 3.0-42.3)	< 100	40.7	(33.2-48.1)	2,200	49.3	(39.1-59.5)	1,500
San Joaquin	29.1	(23.7-34.5)	2,900	26.0*	(10.0-42.0)	400	14.9*	( 5.8-24.0)	100	25.0	(18.0-32.0)	1,200	41.7	(29.0-54.3)	1,000
San Francisco	69.8	(64.6-75.0)	6,200	70.5	(61.2-79.8)	2,100	40.7	(27.0-54.5)	200	64.4	(52.7-76.0)	1,100	74.3	(66.1-82.4)	2,700
San Mateo	59.4	(53.4-65.4)	5,200	57.0	(47.0-67.1)	1,700	53.0	(32.9-73.2)	< 100	52.1	(40.8-63.4)	1,300	66.0	(55.3-76.7)	1,800
Tulare	37.2	(31.3-43.1)	2,600	62.5*	(27.9-97.1)	100	21.0*	( 2.3-39.6)	< 100	35.9	(29.0-42.7)	1,900	39.1	(26.2-52.0)	500
Stanislaus	41.1	(35.3-47.0)	3,100	42.0*	(16.4-67.5)	200	10.2*	( 1.6-18.7)	< 100	36.7	(28.7-44.7)	1,600	50.3	(40.8-59.9)	1,300
Monterey	49.8	(44.3-55.3)	3,100	64.1*	(33.8-94.4)	100	-			51.4	(45.2-57.5)	2,400	44.6	(30.9-58.2)	500
Santa Barbara	42.4	(37.1-47.7)	2,300	45.2	(20.6-69.8)	100	-			42.9	(36.3-49.5)	1,600	41.9	(31.7-52.2)	600
Sonoma	66.3	(60.5-72.0)	3,200	61.9*	(34.2-89.7)	100	-			68.7	(59.3-78.1)	1,300	65.3	(56.8-73.7)	1,400
Solano	47.5	(41.7-53.3)	2,400	49.9	(34.3-65.4)	400	43.2	(30.1-56.4)	300	44.5	(34.2-54.7)	700	50.9	(41.0-60.8)	900
Merced	27.8	(21.1-34.6)	1,100	-			37.5*	( 2.5-72.5)	< 100	23.6	(15.6-31.6)	600	47.6	(30.9-64.4)	400
Placer	48.3	(39.8-56.8)	1,700	58.6*	(31.3-85.9)	200	-			24.5*	( 9.0-40.0)	200	53.1	(42.8-63.4)	1,400
Santa Cruz	53.6	(47.0-60.2)	1,500	-			-			40.1	(31.1-49.1)	600	70.9	(62.2-79.7)	800
Imperial	31.9	(23.1-40.6)	1,000	-			-			30.6	(21.3-39.9)	900	57.3	(32.3-82.3)	100
San Luis Obispo	60.3	(52.6-68.0)	1,500	-			-			59.9	(45.1-74.7)	500	61.8	(52.4-71.2)	900
Marin	72.3	(66.5-78.2)	1,600	75.6*	(59.1-92.1)	100	-			73.7	(62.9-84.5)	500	73.8	(66.6-81.0)	900
Butte	46.8	(39.0-54.5)	1,100	-			-			39.0	(20.3-57.7)	200	52.4	(43.7-61.1)	900
Yolo	53.3	(45.4-61.2)	1,300	41.7	(19.7-63.8)	100	-			51.4	(37.3-65.5)	500	60.3	(50.1-70.6)	600
Madera	38.5	(30.9-46.1)	900	-			-			38.3	(29.0-47.6)	600	40.8	(27.2-54.4)	200
Kings	38.9	(31.4-46.3)	800	-			47.9	(21.4-74.4)	< 100	32.5	(23.0-42.1)	400	46.4	(33.4-59.3)	300
Shasta	40.9	(32.5-49.2)	800	66.8*	(41.1-92.6)	< 100	-			27.4*	( 5.9-48.8)	< 100	43.2	(33.8-52.6)	700
El Dorado	55.0	(46.9-63.0)	900	-			-			48.0	(27.4-68.7)	100	54.4	(45.3-63.6)	600
Napa	54.3	(47.6-61.0)	800	57.7*	(29.6-85.8)	< 100	-			45.5	(37.0-53.9)	300	63.7	(52.0-75.3)	400
Humboldt	48.4	(40.2-56.7)	700	-			-			42.7	(24.3-61.0)	< 100	53.6	(44.2-63.0)	500
<b>MIHA Region</b>															
Los Angeles County	37.4	(33.9-40.9)	45,300	44.5	(34.7-54.3)	8,700	33.3	(26.6-40.0)	2,900	31.0	(26.4-35.5)	21,100	51.2	(42.7-59.6)	11,700
San Francisco Bay Area	54.8	(52.3-57.3)	46,800	56.1	(50.6-61.5)	13,900	39.9	(34.0-45.7)	1,900	43.8	(39.7-47.8)	11,000	65.5	(61.3-69.6)	16,800
San Diego County	56.6	(51.0-62.1)	23,900	49.5	(31.6-67.4)	2,300	43.0	(29.0-57.0)	900	57.9	(49.1-66.7)	9,900	59.4	(50.2-68.6)	9,000
Orange County	50.0	(43.4-56.7)	18,600	51.6	(35.1-68.2)	4,600	42.4	(26.0-58.8)	200	39.8	(30.7-48.8)	6,300	62.5	(51.7-73.4)	7,000
San Joaquin Valley	32.7	(30.4-35.1)	20,200	28.2	(19.5-36.8)	1,400	24.3	(18.3-30.3)	700	29.7	(26.7-32.7)	11,200	42.4	(37.5-47.4)	6,400
Greater Sacramento Region	39.8	(36.0-43.7)	11,600	43.0	(32.3-53.7)	2,000	28.2	(17.7-38.8)	700	30.2	(23.2-37.2)	2,400	44.7	(38.8-50.6)	6,000
Southeastern California	33.8	(30.1-37.5)	21,400	32.2	(17.0-47.3)	1,600	35.4	(26.0-44.8)	1,500	31.9	(27.2-36.6)	12,100	36.7	(28.9-44.4)	5,500
Central Coast Region	47.0	(44.1-49.9)	12,800	44.0	(26.1-61.9)	600	20.7	( 9.4-31.9)	< 100	45.2	(41.6-48.9)	7,500	52.2	(47.1-57.3)	4,500
North/Mountain Region	45.1	(40.5-49.8)	5,800	47.8	(28.5-67.1)	200	-			38.2	(28.2-48.3)	1,100	48.3	(42.6-54.1)	4,200

-- Estimate not shown because the relative standard error (RSE) is greater than 50%, fewer than 5 women reported, or the weighted population denominator for the column is less than 100 women.

\* Estimate should be interpreted with caution due to low statistical reliability (RSE is between 30% and 50%).

2015-2016 MIHA Question: "During your most recent pregnancy, did you visit a dentist, dental clinic, or get dental care at any other health clinic?" Women could report Yes or No.

Data source: MIHA is an annual population-based survey of California resident women with a live birth. Data from MIHA 2015-2016 were combined, resulting in a statewide sample size of 13,431. Prevalence (%), 95% confidence interval (95% CI), and estimated number of women in the population with the health indicator/characteristic (i.e., numerator of the percent rounded to the nearest hundred) are weighted to represent all women with a live birth who resided in California and the county/region in 2015-2016. Population estimates are a two-year average (2015-2016). County and regional comparisons indicate whether the health indicator in the county or region was statistically different from the rest of the state (p-value < 0.05, chi-square test). MIHA is a collaborative effort of the Maternal, Child and Adolescent Health Division and the Women, Infants and Children Division in the California Department of Public Health and the Center on Social Disparities in Health at the University of California, San Francisco. See the Technical Notes for information on weighting, comparability to prior years and technical definitions. Visit the MIHA website at [www.cdph.ca.gov/MIHA](http://www.cdph.ca.gov/MIHA).

Prepared by: California Department of Public Health; Center for Family Health; Maternal, Child and Adolescent Health Program; Epidemiology, Surveillance and Federal Reporting Branch

Receipt of dental visit during pregnancy among California women with a recent live birth, for counties and regions by prenatal health insurance, Maternal and Infant Health Assessment (MIHA) Survey, 2015-2016

	Total			Prenatal Health Insurance					
	Prevalence (%)	95% Confidence Interval	Annual Population Estimate	Prevalence (%)	95% Confidence Interval	Annual Population Estimate	Prevalence (%)	95% Confidence Interval	Annual Population Estimate
<b>California</b>	43.0	(41.6-44.4)	206,500	33.7	(31.8-35.5)	80,900	54.0	(51.9-56.2)	115,100
<b>Top 35 Birthing Counties</b>									
Los Angeles	37.4	(33.9-40.9)	45,300	28.7	(24.2-33.2)	18,600	48.2	(42.8-53.7)	24,900
San Diego	56.6	(51.0-62.1)	23,900	52.9	(44.1-61.7)	8,300	65.4	(57.7-73.1)	12,500
Orange	50.0	(43.4-56.7)	18,600	44.8	(35.2-54.4)	6,400	54.2	(44.9-63.6)	11,500
San Bernardino	33.2	(27.6-38.8)	10,100	27.2	(20.0-34.4)	4,800	43.9	(34.4-53.4)	4,900
Riverside	34.7	(29.4-40.0)	10,400	33.6	(26.5-40.8)	5,500	34.3	(25.9-42.7)	4,000
Santa Clara	54.3	(47.9-60.7)	12,300	42.2	(32.5-51.9)	2,900	62.6	(54.5-70.8)	9,400
Alameda	46.9	(41.0-52.7)	9,000	38.0	(28.9-47.2)	2,400	51.6	(43.8-59.3)	6,100
Sacramento	37.1	(31.8-42.5)	7,100	21.7	(15.4-28.0)	2,200	55.5	(47.4-63.6)	4,800
Fresno	34.0	(28.4-39.6)	5,100	27.8	(21.1-34.4)	2,900	52.0	(41.7-62.2)	2,100
Kern	26.4	(20.8-32.0)	3,600	19.7	(13.7-25.8)	1,800	41.6	(30.2-53.0)	1,600
Contra Costa	49.2	(43.4-55.0)	6,000	33.2	(25.1-41.2)	1,500	59.7	(51.7-67.7)	4,300
Ventura	42.9	(37.0-48.8)	4,100	35.2	(27.4-43.1)	1,600	51.8	(42.7-60.8)	2,200
San Joaquin	29.1	(23.7-34.5)	2,900	22.3	(16.0-28.6)	1,300	43.3	(32.8-53.8)	1,400
San Francisco	69.8	(64.6-75.0)	6,200	60.6	(50.8-70.4)	1,600	74.5	(68.3-80.7)	4,300
San Mateo	59.4	(53.4-65.4)	5,200	45.1	(33.3-56.9)	1,100	65.0	(58.3-71.7)	4,000
Tulare	37.2	(31.3-43.1)	2,600	33.7	(27.2-40.3)	1,800	52.0	(36.6-67.4)	700
Stanislaus	41.1	(35.3-47.0)	3,100	31.7	(24.3-39.2)	1,500	56.7	(47.7-65.7)	1,600
Monterey	49.8	(44.3-55.3)	3,100	47.4	(41.2-53.6)	2,100	59.9	(46.2-73.7)	800
Santa Barbara	42.4	(37.1-47.7)	2,300	36.8	(30.3-43.2)	1,200	56.3	(46.5-66.1)	1,000
Sonoma	66.3	(60.5-72.0)	3,200	59.1	(49.9-68.3)	1,300	74.1	(67.3-80.8)	1,800
Solano	47.5	(41.7-53.3)	2,400	37.1	(28.5-45.7)	800	56.9	(48.6-65.3)	1,400
Merced	27.8	(21.1-34.6)	1,100	23.3	(16.1-30.5)	800	48.8	(32.4-65.1)	300
Placer	48.3	(39.8-56.8)	1,700	27.2*	(10.9-43.5)	300	56.3	(45.3-67.2)	1,300
Santa Cruz	53.6	(47.0-60.2)	1,500	38.0	(29.3-46.7)	600	73.2	(64.4-81.9)	900
Imperial	31.9	(23.1-40.6)	1,000	28.5	(16.9-40.1)	500	47.0	(30.5-63.6)	300
San Luis Obispo	60.3	(52.6-68.0)	1,500	54.8	(43.0-66.6)	700	66.7	(56.2-77.2)	800
Marin	72.3	(66.5-78.2)	1,600	74.2	(62.8-85.7)	500	72.0	(65.3-78.7)	1,000
Butte	46.8	(39.0-54.5)	1,100	38.6	(28.2-49.1)	600	64.3	(53.6-75.1)	500
Yolo	53.3	(45.4-61.2)	1,300	47.7	(35.4-60.0)	600	59.5	(49.3-69.7)	700
Madera	38.5	(30.9-46.1)	900	37.2	(28.4-46.0)	700	43.7	(28.6-58.8)	200
Kings	38.9	(31.4-46.3)	800	35.3	(25.6-44.9)	500	33.2	(16.9-49.5)	100
Shasta	40.9	(32.5-49.2)	800	27.0	(19.1-35.0)	300	69.7	(56.5-82.9)	500
El Dorado	55.0	(46.9-63.0)	900	40.2	(27.6-52.7)	300	66.6	(56.2-76.9)	600
Napa	54.3	(47.6-61.0)	800	42.7	(33.4-51.9)	300	67.2	(58.1-76.3)	400
Humboldt	48.4	(40.2-56.7)	700	41.1	(31.0-51.1)	400	63.3	(49.0-77.7)	200
<b>MIHA Region</b>									
Los Angeles County	37.4	(33.9-40.9)	45,300	28.7	(24.2-33.2)	18,600	48.2	(42.8-53.7)	24,900
San Francisco Bay Area	54.8	(52.3-57.3)	46,800	43.5	(39.7-47.3)	12,500	61.9	(58.6-65.2)	33,000
San Diego County	56.6	(51.0-62.1)	23,900	52.9	(44.1-61.7)	8,300	65.4	(57.7-73.1)	12,500
Orange County	50.0	(43.4-56.7)	18,600	44.8	(35.2-54.4)	6,400	54.2	(44.9-63.6)	11,500
San Joaquin Valley	32.7	(30.4-35.1)	20,200	26.7	(24.0-29.4)	11,300	47.9	(43.3-52.5)	8,200
Greater Sacramento Region	39.8	(36.0-43.7)	11,600	24.6	(19.7-29.5)	3,500	55.9	(50.2-61.6)	7,600
Southeastern California	33.8	(30.1-37.5)	21,400	30.2	(25.3-35.0)	10,800	39.2	(33.0-45.3)	9,100
Central Coast Region	47.0	(44.1-49.9)	12,800	40.9	(37.3-44.5)	6,300	58.0	(52.9-63.0)	5,800
North/Mountain Region	45.1	(40.5-49.8)	5,800	35.8	(30.1-41.4)	3,100	66.3	(59.1-73.5)	2,500

\* Estimate should be interpreted with caution due to low statistical reliability (RSE is between 30% and 50%).

2015-2016 MIHA Question: "During your most recent pregnancy, did you visit a dentist, dental clinic, or get dental care at any other health clinic?" Women could report Yes or No.

Data source: MIHA is an annual population-based survey of California resident women with a live birth. Data from MIHA 2015-2016 were combined, resulting in a statewide sample size of 13,431. Prevalence (%), 95% confidence interval (95% CI), and estimated number of women in the population with the health indicator/characteristic (i.e., numerator of the percent rounded to the nearest hundred) are weighted to represent all women with a live birth who resided in California and the county/region in 2015-2016. Population estimates are a two-year average (2015-2016). County and regional comparisons indicate whether the health indicator in the county or region was statistically different from the rest of the state (p-value < 0.05, chi-square test). MIHA is a collaborative effort of the Maternal, Child and Adolescent Health Division and the Women, Infants and Children Division in the California Department of Public Health and the Center on Social Disparities in Health at the University of California, San Francisco. See the Technical Notes for information on weighting, comparability to prior years and technical definitions. Visit the MIHA website at [www.cdph.ca.gov/MIHA](http://www.cdph.ca.gov/MIHA).

Prepared by: California Department of Public Health; Center for Family Health; Maternal, Child and Adolescent Health Program; Epidemiology, Surveillance and Federal Reporting Branch

**Receipt of dental visit during pregnancy among California women with a recent live birth, for counties and regions by income, Maternal and Infant Health Assessment (MIHA) Survey, 2015-2016**

	Total			Income								
	Prevalence (%)	95% Confidence Interval	Annual Population Estimate	0-100% Federal Poverty Guideline			101-200% Federal Poverty Guideline			> 200% Federal Poverty Guideline		
				Prevalence (%)	95% Confidence Interval	Annual Population Estimate	Prevalence (%)	95% Confidence Interval	Annual Population Estimate	Prevalence (%)	95% Confidence Interval	Annual Population Estimate
<b>California</b>	43.0	(41.6-44.4)	206,500	33.2	(30.9-35.4)	54,000	33.0	(30.0-36.0)	31,300	58.4	(56.2-60.7)	105,400
<b>Top 35 Birthing Counties</b>												
Los Angeles	37.4	(33.9-40.9)	45,300	29.9	(24.4-35.5)	13,300	25.8	(18.7-32.9)	6,200	55.2	(49.3-61.0)	22,900
San Diego	56.6	(51.0-62.1)	23,900	53.5	(44.0-63.0)	6,500	43.8	(30.4-57.1)	3,100	65.1	(56.9-73.2)	12,400
Orange	50.0	(43.4-56.7)	18,600	43.7	(32.0-55.4)	4,500	32.9	(18.3-47.6)	2,600	61.7	(52.3-71.1)	10,500
San Bernardino	33.2	(27.6-38.8)	10,100	22.0	(14.0-29.9)	2,600	30.9	(20.3-41.5)	2,400	49.8	(39.0-60.5)	4,000
Riverside	34.7	(29.4-40.0)	10,400	31.9	(23.6-40.2)	3,400	34.3	(23.1-45.6)	2,400	40.2	(30.6-49.8)	3,600
Santa Clara	54.3	(47.9-60.7)	12,300	40.5	(28.5-52.4)	1,700	31.6	(15.5-47.7)	700	64.0	(55.3-72.7)	8,600
Alameda	46.9	(41.0-52.7)	9,000	33.0	(22.6-43.4)	1,700	44.7	(30.6-58.7)	900	57.8	(49.4-66.1)	6,000
Sacramento	37.1	(31.8-42.5)	7,100	21.2	(13.3-29.1)	1,300	37.7	(25.3-50.1)	1,400	56.0	(47.0-65.1)	4,000
Fresno	34.0	(28.4-39.6)	5,100	25.5	(17.9-33.0)	1,900	23.5	(13.0-33.9)	700	60.0	(48.4-71.5)	1,900
Kern	26.4	(20.8-32.0)	3,600	20.3	(12.5-28.1)	1,400	21.2	(11.5-30.9)	600	47.6	(34.1-61.2)	1,300
Contra Costa	49.2	(43.4-55.0)	6,000	32.1	(21.8-42.4)	800	34.8	(23.0-46.5)	900	62.9	(54.1-71.7)	3,800
Ventura	42.9	(37.0-48.8)	4,100	37.3	(27.1-47.4)	1,200	34.3	(23.1-45.4)	800	52.0	(41.9-62.2)	1,900
San Joaquin	29.1	(23.7-34.5)	2,900	28.1	(19.0-37.1)	1,000	18.6	(9.8-27.4)	400	39.1	(28.1-50.0)	1,200
San Francisco	69.8	(64.6-75.0)	6,200	63.7	(51.4-76.0)	1,000	49.7	(32.1-67.2)	400	73.8	(67.4-80.2)	4,200
San Mateo	59.4	(53.4-65.4)	5,200	43.4	(29.0-57.9)	700	51.3	(34.5-68.0)	600	66.3	(58.9-73.7)	3,500
Tulare	37.2	(31.3-43.1)	2,600	29.6	(22.1-37.1)	1,100	40.2	(27.5-53.0)	600	56.1	(41.1-71.1)	600
Stanislaus	41.1	(35.3-47.0)	3,100	27.9	(19.8-36.0)	900	34.4	(22.0-46.8)	600	64.2	(54.0-74.5)	1,300
Monterey	49.8	(44.3-55.3)	3,100	45.8	(37.6-53.9)	1,100	44.5	(34.1-54.9)	700	56.4	(43.1-69.7)	800
Santa Barbara	42.4	(37.1-47.7)	2,300	37.9	(29.2-46.6)	800	38.1	(27.7-48.6)	500	56.2	(46.1-66.3)	900
Sonoma	66.3	(60.5-72.0)	3,200	56.3	(42.9-69.6)	600	55.1	(42.3-67.9)	600	73.8	(66.6-80.9)	1,800
Solano	47.5	(41.7-53.3)	2,400	35.3	(25.3-45.4)	500	42.9	(29.7-56.2)	400	60.0	(51.7-68.4)	1,300
Merced	27.8	(21.1-34.6)	1,100	26.3	(17.5-35.1)	600	14.8*	(3.7-25.9)	100	62.7	(43.6-81.8)	300
Placer	48.3	(39.8-56.8)	1,700	17.7*	(6.2-29.2)	< 100	42.4	(20.5-64.3)	300	59.2	(47.4-70.9)	1,300
Santa Cruz	53.6	(47.0-60.2)	1,500	38.5	(27.5-49.5)	400	48.3	(33.3-63.3)	200	72.8	(63.5-82.1)	800
Imperial	31.9	(23.1-40.6)	1,000	33.2	(19.0-47.4)	500	38.6	(18.8-58.5)	200	40.9	(24.8-56.9)	200
San Luis Obispo	60.3	(52.6-68.0)	1,500	59.1	(43.4-74.8)	400	53.3	(36.3-70.3)	200	62.7	(52.1-73.3)	800
Marin	72.3	(66.5-78.2)	1,600	75.1*	(60.0-90.3)	400	55.2	(34.4-75.9)	100	74.9	(68.2-81.5)	1,000
Butte	46.8	(39.0-54.5)	1,100	38.0	(23.9-52.0)	400	49.0	(34.3-63.7)	300	64.2	(52.3-76.1)	400
Yolo	53.3	(45.4-61.2)	1,300	52.8	(38.5-67.1)	400	45.0	(27.6-62.4)	200	56.4	(43.8-69.0)	600
Madera	38.5	(30.9-46.1)	900	36.5	(26.0-47.1)	400	40.9	(25.1-56.6)	200	37.8	(20.7-54.9)	100
Kings	38.9	(31.4-46.3)	800	31.4	(20.1-42.7)	300	39.9	(25.7-54.1)	200	62.1	(46.8-77.5)	300
Shasta	40.9	(32.5-49.2)	800	23.7	(14.6-32.9)	200	40.2	(25.9-54.6)	200	55.3	(42.5-68.0)	300
El Dorado	55.0	(46.9-63.0)	900	44.6	(25.2-64.0)	100	40.9	(24.2-57.6)	100	66.6	(55.9-77.3)	600
Napa	54.3	(47.6-61.0)	800	36.7	(25.2-48.2)	200	51.2	(37.3-65.1)	100	70.2	(60.6-79.9)	400
Humboldt	48.4	(40.2-56.7)	700	40.8	(27.2-54.4)	300	45.4	(29.7-61.2)	100	60.4	(47.1-73.7)	300
<b>MIHA Region</b>												
Los Angeles County	37.4	(33.9-40.9)	45,300	29.9	(24.4-35.5)	13,300	25.8	(18.7-32.9)	6,200	55.2	(49.3-61.0)	22,900
San Francisco Bay Area	54.8	(52.3-57.3)	46,800	40.8	(36.0-45.6)	7,600	42.2	(36.6-47.9)	4,800	64.6	(61.1-68.2)	30,700
San Diego County	56.6	(51.0-62.1)	23,900	53.5	(44.0-63.0)	6,500	43.8	(30.4-57.1)	3,100	65.1	(56.9-73.2)	12,400
Orange County	50.0	(43.4-56.7)	18,600	43.7	(32.0-55.4)	4,500	32.9	(18.3-47.6)	2,600	61.7	(52.3-71.1)	10,500
San Joaquin Valley	32.7	(30.4-35.1)	20,200	26.1	(22.8-29.4)	7,700	26.3	(21.9-30.7)	3,600	52.5	(47.1-57.8)	7,000
Greater Sacramento Region	39.8	(36.0-43.7)	11,600	24.0	(17.8-30.2)	2,200	38.1	(29.3-46.8)	2,200	56.1	(49.9-62.2)	6,500
Southeastern California	33.8	(30.1-37.5)	21,400	27.1	(21.6-32.6)	6,500	32.7	(25.2-40.2)	5,100	44.6	(37.6-51.7)	7,800
Central Coast Region	47.0	(44.1-49.9)	12,800	41.2	(36.4-46.1)	4,000	40.1	(34.3-45.9)	2,400	57.4	(52.1-62.7)	5,400
North/Mountain Region	45.1	(40.5-49.8)	5,800	34.8	(27.6-42.0)	1,700	37.7	(28.6-46.9)	1,300	64.0	(56.1-71.9)	2,200

\* Estimate should be interpreted with caution due to low statistical reliability (RSE is between 30% and 50%).

2015-2016 MIHA Question: "During your most recent pregnancy, did you visit a dentist, dental clinic, or get dental care at any other health clinic?" Women could report Yes or No.

Data source: MIHA is an annual population-based survey of California resident women with a live birth. Data from MIHA 2015-2016 were combined, resulting in a statewide sample size of 13,431. Prevalence (%), 95% confidence interval (95% CI), and estimated number of women in the population with the health indicator/characteristic (i.e., numerator of the percent rounded to the nearest hundred) are weighted to represent all women with a live birth who resided in California and the county/region in 2015-2016. Population estimates are a two-year average (2015-2016). County and regional comparisons indicate whether the health indicator in the county or region was statistically different from the rest of the state (p-value < 0.05, chi-square test). MIHA is a collaborative effort of the Maternal, Child and Adolescent Health Division and the Women, Infants and Children Division in the California Department of Public Health and the Center on Social Disparities in Health at the University of California, San Francisco. See the Technical Notes for information on weighting, comparability to prior years and technical definitions. Visit the MIHA website at [www.cdph.ca.gov/MIHA](http://www.cdph.ca.gov/MIHA).

Receipt of dental visit during pregnancy among California women with a recent live birth, for counties and regions by education, Maternal and Infant Health Assessment (MIHA) Survey, 2015-2016

	Total			Education								
	Prevalence (%)	95% Confidence Interval	Annual Population Estimate	High school/GED or less			Some college			College graduate		
				Prevalence (%)	95% Confidence Interval	Annual Population Estimate	Prevalence (%)	95% Confidence Interval	Annual Population Estimate	Prevalence (%)	95% Confidence Interval	Annual Population Estimate
<b>California</b>	43.0	(41.6-44.4)	206,500	33.1	(30.8-35.4)	53,600	39.6	(37.1-42.1)	58,200	55.8	(53.4-58.3)	91,800
<b>Top 35 Birthing Counties</b>												
Los Angeles	37.4	(33.9-40.9)	45,300	30.4	(24.7-36.1)	13,500	33.5	(27.0-40.0)	11,600	48.2	(42.3-54.2)	19,800
San Diego	56.6	(51.0-62.1)	23,900	51.4	(40.6-62.2)	5,900	47.0	(37.3-56.7)	6,200	67.0	(58.5-75.5)	11,100
Orange	50.0	(43.4-56.7)	18,600	43.7	(32.0-55.3)	4,600	47.0	(34.1-60.0)	4,800	56.8	(46.2-67.4)	9,100
San Bernardino	33.2	(27.6-38.8)	10,100	25.6	(16.9-34.3)	3,000	39.1	(29.7-48.5)	4,500	35.9	(24.7-47.1)	2,400
Riverside	34.7	(29.4-40.0)	10,400	22.5	(15.0-30.0)	2,400	40.4	(31.8-49.0)	5,000	42.5	(30.9-54.0)	2,900
Santa Clara	54.3	(47.9-60.7)	12,300	29.1	(19.2-39.0)	1,400	49.9	(35.7-64.1)	2,000	65.0	(56.5-73.5)	8,900
Alameda	46.9	(41.0-52.7)	9,000	36.0	(24.5-47.4)	1,700	33.2	(22.5-43.8)	1,400	58.3	(49.9-66.7)	5,600
Sacramento	37.1	(31.8-42.5)	7,100	23.0	(14.1-32.0)	1,400	39.3	(29.7-48.9)	2,500	51.6	(42.5-60.8)	3,100
Fresno	34.0	(28.4-39.6)	5,100	29.3	(20.5-38.1)	2,000	28.9	(19.9-37.9)	1,300	52.2	(39.3-65.1)	1,800
Kern	26.4	(20.8-32.0)	3,600	18.6	(11.1-26.1)	1,200	28.7	(18.7-38.8)	1,200	42.7	(28.8-56.7)	1,100
Contra Costa	49.2	(43.4-55.0)	6,000	31.9	(22.1-41.6)	1,000	46.2	(35.3-57.2)	1,700	62.4	(53.3-71.5)	3,200
Ventura	42.9	(37.0-48.8)	4,100	33.2	(24.4-42.0)	1,100	49.8	(38.3-61.3)	1,600	45.6	(35.6-55.6)	1,400
San Joaquin	29.1	(23.7-34.5)	2,900	21.7	(13.5-29.9)	800	27.2	(19.3-35.2)	1,000	45.2	(30.9-59.5)	1,000
San Francisco	69.8	(64.6-75.0)	6,200	61.8	(49.7-73.9)	1,000	51.6	(36.2-66.9)	600	74.7	(68.5-80.9)	4,500
San Mateo	59.4	(53.4-65.4)	5,200	55.7	(41.9-69.4)	900	51.1	(36.7-65.4)	900	63.7	(56.2-71.2)	3,400
Tulare	37.2	(31.3-43.1)	2,600	34.1	(25.7-42.5)	1,200	34.2	(24.4-44.0)	800	54.8	(39.4-70.1)	600
Stanislaus	41.1	(35.3-47.0)	3,100	34.2	(25.3-43.2)	1,100	38.6	(28.9-48.2)	1,100	61.6	(49.8-73.4)	900
Monterey	49.8	(44.3-55.3)	3,100	50.6	(43.1-58.2)	1,600	44.9	(34.0-55.8)	700	55.9	(43.0-68.8)	700
Santa Barbara	42.4	(37.1-47.7)	2,300	40.5	(33.1-48.0)	900	43.1	(32.1-54.1)	700	46.6	(36.4-56.8)	700
Sonoma	66.3	(60.5-72.0)	3,200	59.0	(48.1-70.0)	900	63.1	(52.8-73.5)	1,000	77.5	(69.8-85.2)	1,200
Solano	47.5	(41.7-53.3)	2,400	36.7	(26.3-47.1)	600	41.7	(32.5-50.9)	800	69.3	(59.8-78.7)	1,000
Merced	27.8	(21.1-34.6)	1,100	19.9	(10.9-28.8)	400	37.4	(24.9-49.9)	600	29.5	(13.2-45.7)	200
Placer	48.3	(39.8-56.8)	1,700	-			42.8	(29.2-56.4)	600	68.7	(57.4-80.0)	1,100
Santa Cruz	53.6	(47.0-60.2)	1,500	38.6	(29.0-48.2)	400	51.7	(37.8-65.7)	400	70.7	(60.6-80.8)	600
Imperial	31.9	(23.1-40.6)	1,000	28.4	(14.4-42.5)	300	31.3	(15.2-47.4)	300	39.2	(22.1-56.3)	300
San Luis Obispo	60.3	(52.6-68.0)	1,500	54.1	(38.9-69.3)	400	55.4	(41.7-69.1)	500	70.5	(59.9-81.0)	600
Marin	72.3	(66.5-78.2)	1,600	79.0	(67.5-90.5)	400	55.9	(37.7-74.2)	200	73.8	(67.0-80.7)	1,000
Butte	46.8	(39.0-54.5)	1,100	36.8	(21.5-52.1)	300	42.5	(30.1-55.0)	400	66.9	(55.6-78.1)	400
Yolo	53.3	(45.4-61.2)	1,300	59.5	(43.3-75.7)	400	42.0	(25.9-58.2)	300	57.6	(46.8-68.5)	600
Madera	38.5	(30.9-46.1)	900	33.7	(24.5-43.0)	400	35.2	(22.5-47.8)	300	55.0	(31.5-78.5)	200
Kings	38.9	(31.4-46.3)	800	28.3	(18.0-38.6)	300	46.8	(34.5-59.1)	300	52.3	(35.0-69.7)	200
Shasta	40.9	(32.5-49.2)	800	32.2	(19.4-45.0)	200	36.5	(26.5-46.5)	400	69.1	(51.3-86.8)	300
El Dorado	55.0	(46.9-63.0)	900	34.2	(17.1-51.4)	100	54.4	(42.0-66.7)	300	70.3	(58.2-82.4)	400
Napa	54.3	(47.6-61.0)	800	48.1	(38.0-58.2)	200	48.4	(36.2-60.5)	200	68.8	(56.5-81.2)	300
Humboldt	48.4	(40.2-56.7)	700	54.7	(40.9-68.6)	200	40.0	(27.0-53.1)	300	55.3	(39.8-70.7)	200
<b>Region</b>												
Los Angeles County	37.4	(33.9-40.9)	45,300	30.4	(24.7-36.1)	13,500	33.5	(27.0-40.0)	11,600	48.2	(42.3-54.2)	19,800
San Francisco Bay Area	54.8	(52.3-57.3)	46,800	40.6	(36.1-45.1)	8,200	46.1	(41.2-51.0)	8,700	65.3	(61.6-68.9)	29,200
San Diego County	56.6	(51.0-62.1)	23,900	51.4	(40.6-62.2)	5,900	47.0	(37.3-56.7)	6,200	67.0	(58.5-75.5)	11,100
Orange County	50.0	(43.4-56.7)	18,600	43.7	(32.0-55.3)	4,600	47.0	(34.1-60.0)	4,800	56.8	(46.2-67.4)	9,100
San Joaquin Valley	32.7	(30.4-35.1)	20,200	26.4	(22.9-29.8)	7,300	32.0	(28.2-35.8)	6,800	49.4	(43.4-55.3)	5,900
Greater Sacramento Region	39.8	(36.0-43.7)	11,600	25.3	(18.5-32.1)	2,300	40.0	(33.3-46.8)	4,000	55.5	(49.1-61.8)	5,300
Southeastern California	33.8	(30.1-37.5)	21,400	24.4	(18.8-29.9)	5,700	39.4	(33.3-45.5)	9,800	39.3	(31.5-47.0)	5,600
Central Coast Region	47.0	(44.1-49.9)	12,800	42.0	(37.8-46.3)	4,500	47.6	(41.8-53.3)	4,000	53.6	(48.0-59.1)	4,000
North/Mountain Region	45.1	(40.5-49.8)	5,800	37.0	(29.0-45.1)	1,600	41.3	(34.2-48.4)	2,300	65.0	(56.2-73.9)	1,900

-- Estimate not shown because the relative standard error (RSE) is greater than 50%, fewer than 5 women reported, or the weighted population denominator for the column is less than 100 women.

2015-2016 MIHA Question: "During your most recent pregnancy, did you visit a dentist, dental clinic, or get dental care at any other health clinic?" Women could report Yes or No.

Data source: MIHA is an annual population-based survey of California resident women with a live birth. Data from MIHA 2015-2016 were combined, resulting in a statewide sample size of 13,431. Prevalence (%), 95% confidence interval (95% CI), and estimated number of women in the population with the health indicator/characteristic (i.e., numerator of the percent rounded to the nearest hundred) are weighted to represent all women with a live birth who resided in California and the county/region in 2015-2016.

Population estimates are a two-year average (2015-2016). County and regional comparisons indicate whether the health indicator in the county or region was statistically different from the rest of the state (p-value < 0.05, chi-square test). MIHA is a collaborative effort of the Maternal, Child and Adolescent Health Division and the Women, Infants and Children Division in the California Department of Public Health and the Center on Social Disparities in Health at the University of California, San Francisco. See the Technical Notes for information on weighting, comparability to prior years and technical definitions. Visit the MIHA website at [www.cdph.ca.gov/MIHA](http://www.cdph.ca.gov/MIHA).

Prepared by: California Department of Public Health; Center for Family Health; Maternal, Child and Adolescent Health Program; Epidemiology, Surveillance and Federal Reporting Branch